

**NYSCSH Summary of Key Facts 2018-2019 School Year
 NYSDOH Immunization Requirements for School Entrance/ Attendance**

Prekindergarten (Day Care, Head Start, Nursery or Pre-K)	
Diphtheria and Tetanus toxoid-containing vaccine and Pertussis Vaccine (DTaP/ DTP)	4 doses
Polio vaccine (IPV/ OPV)	3 doses
Measles, Mumps and Rubella vaccine (MMR)	1 dose
Hepatitis B vaccine	3 doses
Varicella (Chickenpox) vaccine	1 dose
Hemophilus influenzae type b conjugate vaccine (Hib)	1 to 4 doses
Pneumococcal Vaccine (PCV)	1 to 4 doses
Kindergarten through Grade 4	
Diphtheria and Tetanus toxoid-containing vaccine and Pertussis Vaccine (DTaP/ DTP)	5 doses or 4 doses if the 4 th dose was received at 4 yrs old or 3 doses if 7 yrs old or older and started the series after 1 yr old or older
Polio vaccine (IPV/ OPV)	4 doses or 3 doses if the 3 rd dose was received at 4 yrs old or older and at least 6 months from previous dose.
Measles, Mumps and Rubella vaccine (MMR)	2 doses (2 measles, 2 mumps 1 rubella)
Hepatitis B vaccine	3 doses
Varicella (Chickenpox) vaccine	2 doses
Grades 5	
Diphtheria and Tetanus toxoid-containing vaccine and Pertussis Vaccine (DTaP/ DTP)	5 doses or 4 doses if the 4 th dose was received at 4 yrs old or older or 3 doses if 7 yrs old or older and started the series after 1 yrs of age
Polio vaccine (IPV/ OPV)	3 doses
Measles, Mumps and Rubella vaccine (MMR)	2 doses (2 measles, 2 mumps 1 rubella)
Hepatitis B vaccine	3 doses
Varicella (Chickenpox) vaccine	1 dose
Grades 6 through 10	
Diphtheria and Tetanus toxoid-containing vaccine and Pertussis Vaccine (DTaP/ DTP)	3 doses
Tetanus and Diphtheria toxoid-containing vaccine and Pertussis vaccine booster (Tdap)	1 dose
Polio vaccine (IPV/ OPV)	4 doses or 3 doses if the 3 rd dose was received at 4 years of age or older
Measles, Mumps and Rubella vaccine (MMR)	2 doses (2 measles, 2 mumps 1 rubella)
Hepatitis B vaccine	3 doses or 2 doses of adult hepatitis B vaccine (Recombivax) for children who received the doses at least 4 months apart between the ages of 11 - 15 years of age
Varicella (Chickenpox) vaccine	2 doses
Grades 7, 8, 9, and 12	
Meningococcal vaccine	1 dose in grades 7 if not received in grade 7, must obtain in grade 8 and 9 (per move up schedule) 2 doses in grade 12 unless 1 dose was given on or after the age of 16
Grades 11 through 12	
Diphtheria and Tetanus toxoid-containing vaccine and Pertussis Vaccine (DTaP/ DTP)	3 doses
Tetanus and Diphtheria toxoid-containing vaccine and Pertussis vaccine booster (Tdap)	1 dose
Polio vaccine (IPV/ OPV)	3 doses
Measles, Mumps and Rubella vaccine (MMR)	2 doses (2 measles, 2 mumps 1 rubella)
Hepatitis B vaccine	3 doses or 2 doses of adult hepatitis B vaccine (Recombivax) for children who received the doses at least 4 months apart between the ages of 11 - 15 years of age
Varicella (Chickenpox) vaccine	1 dose