

Student:	Grade: School Contact:			DOB:	
Mother:	Mł	Iome #:	MWork #:	MCell #:	
Father:	FH	ome #:	FWork #:	FCell #:	
Emergency Contact:		Relationship:		Phone:	
SYMPTOMS OF AN ALLERGIC REACTION MAY INCLUDE ANY/ALL OF THESE: MOUTH Itching & swelling of lips, tongue or mouth THROAT Itching, tightness in throat, tightness in chest SKIN Hives, warmth, itchy rash, generalized swelling STOMACH Nausea, abdominal cramps, vomiting and/or diarrhea LUNG Shortness of breath, repetitive cough, wheezing HEART "Thready pulse", "passing out" The severity of symptoms can change quickly – it is important that treatment is give immediately.					
STAFF MEMBERS INSTRUCTED: □ Classroom Teacher(s) □ Special Area Teacher(s) □ Administration □ Support Staff □ Transportation Staff					
TREATMENT:	Rinse contact area with	water.			
Benadryl ordered:	Yes No Give Benadryl		per provider's orders		
Call school nurse at Call parent/guardian if off school grounds.					
Epinephrine ordered:	pinephrine ordered:				
IF ANY SYMPTOMS BEYOND REDNESS OR SWELLING ARE SEEN AT THE SITE AND EPINEPHRINE IS ORDERED, GIVE EPINEPHRINE IMMEDIATELY AND CALL 911. Preferred Hospital if transported: Epinephrine provides a 20 minute response window. After epinephrine, a student may feel dizzy or have an increased heart rate. This is a normal response. Students receiving epinephrine should be transported to the hospital by ambulance. A staff member should accompany the student to the emergency room if the parent, guardian or emergency contact is not present and adequate supervision for other students is present.					
Transportation Plan: Des not ride bus Special instructions:					
Written by:	Phone: Date: Copy provided to Parent Copy sent to Healthcare Provider				

Parent/Guardian Signature to share this plan with Provider and School Staff: _____

This plan is in effect for the current school year and summer school as needed.